

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8797	709/223	US-PGPUB; USPAT	OR	ON	2006/05/08 10:53
L2	316	1 and (setting configur\$5 reconfigur\$5) and (base accord\$3 associate correspon\$4 relat\$) with (route routing) and (zone zoning region\$2 geographic\$4 cluster) and (access near5 (privilege control right limit authoriz\$5) permi\$6 allow\$4)	US-PGPUB; USPAT	OR	ON	2006/05/08 11:00
L3	188	2 and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT	OR	ON	2006/05/08 10:57
L5	30	2 and storage near3 manag\$5 and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT	OR	ON	2006/05/08 10:58

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	467	(zone zoning geographic\$3 region\$2) same (set\$4 configur\$5) same (route routing forward\$3) adj3 (data parameter attribute information criteria) and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:18
L2	1	(zone zoning geographic\$3 region\$2) same (set\$4 configur\$5) same (route routing forward\$3) adj3 (data parameter attribute information criteria) and affinity and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:24
L3	40	(zone zoning geographic\$3 region\$2) same (set\$4 configur\$5) same (route routing forward\$3) adj3 (data parameter attribute information criteria) .ab. and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:30
L4	6	(zone zoning geographic\$3 region\$2) same (set\$4 configur\$5) same (route routing forward\$3) adj3 (data parameter attribute information criteria) .ab. and (SAN storage adj network) and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:25
L6	5	(zone zoning geographic\$3 region\$2) same (setting configur\$5 reconfigur\$5) same (based accord\$3 associate correspon\$4 relat\$3 depend\$3) same (route routing forward\$3) adj3 (data parameter attribute information criteria) .ab. and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:32
L7	40	(zone zoning geographic\$3 region\$2) same (set\$4 configur\$5) same (route routing forward\$3) adj3 (data parameter attribute information criteria) .ab. and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:32

EAST Search History

L8	38	(zone zoning geographic\$3 region\$2) same (set\$4 configur\$5) same (route routing forward\$3) adj3 (data parameter attribute information criteria) .clm. and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:34
L9	80	(zone zoning geographic\$3 region\$2) same (set\$4 configur\$5) with (route routing forward\$3) with (data parameter attribute information criteria) .clm. and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:35
L10	70	(zone zoning geographic\$3 region\$2) with (set\$4 configur\$5) with (route routing forward\$3) with (data parameter attribute information criteria) .clm. and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:38
L11	5	10 and (each every) adj (switch\$3 node device router gateway unit component server hub)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:36
L12	1	(zone zoning geographic\$3 region\$2) with (set\$4 configur\$5) with (route routing forward\$3) with (data parameter attribute information criteria) same (each every) adj (switch\$3 node device router gateway unit component server hub) and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:41
L13	1	(zone zoning geographic\$3 region\$2) with (set\$4 configur\$5) with (route routing forward\$3) with (data parameter attribute information criteria) same (each every) adj (cluster edge bgp switch\$3 node device router gateway unit component server hub) and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:41

EAST Search History

L14	1	(zone zoning geographic\$3 region\$2) with (set\$4 configur\$5) with (route routing forward\$3) with (data parameter attribute information criteria) same (each every) adj3 (cluster edge\$6 bgp switch\$3 node gatekeeper firewall device router gateway unit component server hub) and (@ad<"20000605" @rlad<"20000605")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/05/08 09:42
-----	---	--	--	----	----	------------------